Saskatchewan
Ministry of
Agriculture

Crop Report

Crop Report for the Period September 7 to 13, 2010

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 24, September 16, 2010

Fourteen per cent of the 2010 crop has been combined, according to Saskatchewan Agriculture's weekly Crop Report. An additional 36 per cent is swathed or ready to straight-combine. The five-year provincial average (2005 to 2009) for this time of year is 51 per cent combined and an additional 30 per cent swathed or ready to straight-combine.

Another week of significant rainfall in most areas of the province continues to delay harvest progress. The most progress was made in swathing canola; some field peas, canaryseed and chickpeas were combined. There were a couple days that allowed some producers to seed winter cereals.

The southwest has 25 per cent of the crop combined; the southeast 22 per cent; the northeast eight per cent, and the northwest six per cent. The east-central and west-central regions have nine and seven per cent combined, respectively.

The majority of crop damage is being caused by rain, disease and wind. Below-zero temperatures were recorded in some areas of the province. Fields are very wet, making harvest difficult.

Farmers are hauling bales and getting bins ready, completing fall work and generally waiting to finish harvesting.

One year ago
Just over 32 per cent of the 2009 crop had been combined. An additional 35 per cent was swathed or ready to straight combine. Warm and dry weather allowed for good harvest progress.

Saskatchewan Harvest % combined this week (Sept 13, 2010)	
Winter wheat	70
Fall rye	77
Spring wheat	5
Durum	3
Oats	6
Barley	9
Flax	0
Canola	9
Mustard	22
Sunflowers	0
Lentils	31
Peas	61
Canary seed	5
Chickpeas	11
Total 14	

For further information, contact: Grant McLean, PAg,
Cropping Management Specialist, Agriculture Knowledge Centre,
Toll Free: 1-866-457-2377, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Southeastern Saskatchewan (Crop Districts 1, 2, and 3ASE)

Farmers in some areas were able to get back into their fields and managed to combine an additional three per cent over last week. Twenty-two per cent of the crop is now combined and an additional 37 per cent is swathed or ready to straight-cut. Last year at this time, 36 per cent of the crop had been combined. Crop district (CD) 1A has 30 per cent combined, CD 1B 14 per cent, CD 2A 23 per cent, CD 2B 19 per cent and CD 3AS has 27 per cent combined.

All areas received between 3 mm and 44 mm of rain for the week. Scattered showers throughout the week left little opportunity to combine. The Kisbey area recorded 44 mm, the Frobisher area 12 mm, the Whitewood area 9 mm, the Grenfell area 35 mm, the Weyburn area 6 mm, the Griffin area 41 mm, the Wilcox area 13 mm, the Indian Head area 38 mm, the Radville area 3 mm and the Ceylon area 15 mm. Most areas reported receiving more than 15 mm of rain.

Crop reporters are having difficulty assessing crop yields at this time due to excess moisture and disease; however, they have indicated the following average yields for the region: winter wheat 49 bu/ac, spring wheat 34 bu/ac, durum 31 bu/ac, oats 63 bu/ac, barley 52 bu/ac, fall rye 42 bu/ac, triticale 45 bu/ac, flax 21 bu/ac, canola 29 bu/ac, mustard 900 lb./ac, lentils 1,300 lb./ac, peas 32 bu/ac, canaryseed 1,200 lb./ac and chickpeas 1,300 lb./ac.

Crop damage is mostly attributed to the rain which has caused flooding, lodging and disease. High winds in some areas also caused crops to lodge. Sprouting, bleaching and staining in swathed/dessicated crops are also causing damage. With all the rain, farmers are concerned about crop quality and bushel weights. There are reports of some standing cereals beginning to sprout. Frost was reported in the Rocanville area.

Farmers are swathing and combining between rain showers. The crops that were combined tough are being aerated. Wet fields are a causing problems with the harvesting equipment. In some areas, swathed crops are sprouting. There is not very much fall seeding occurring. Wet fields are preventing producers from picking up hay bales. Farmers are hauling bales and fixing fences while anxiously waiting to get back into the field.

Southwestern Saskatchewan (Crop Districts 3ASW, 3AN, 3B and 4)

The region made some harvest progress in between the rain showers. Twenty-five per cent of the crop is combined and an additional 23 per cent is swathed or ready to straight-cut. Last year at this time, 65 per cent of the crop had been combined. Crop districts 3ASW and 3BN have 26 per cent combined, CD 3AN 24 per cent, CD 3BS 28 per cent, CD 4A 18 per cent and CD 4B has 28 per cent of the crop combined.

Scattered showers throughout the area left between 5 mm and 71 mm of rain. The Big Beaver area received 5 mm, the Glentworth area 42 mm, the Spring Valley area 24 mm,

the Coderre area 48 mm, the Shaunavon area 14 mm, the Glenbain area 71 mm, the Tyner area 12 mm, the Rush Lake area 54 mm, the Consul area 10 mm, the Maple Creek area 27 mm, the Richmound area 7 mm and the Gull Lake area 34 mm. Most of the region reported more than 20 mm for the week.

Due to rain, crop disease and the small amount of crop that has been combined, crop reporters are having difficulty predicting yields. They are indicating the following average yields at this time: winter wheat 37 bu/ac, spring wheat 31 bu/ac, durum 33 bu/ac, oats 52 bu/ac, barley 48 bu/ac, fall rye 40 bu/ac, triticale 38 bu/ac, flax 21 bu/ac, canola 25 bu/ac, mustard 1,000 lb./ac, lentils 1,400 lb./ac, peas 28 bu/ac, canaryseed 1,400 lb./ac and chickpeas 1,000 lb./ac.

Crop damage has been caused by rain, disease and wind. Heavy rains have caused flooding, lodging, bleaching, sprouting and staining in crops. Frost damage was reported in the Shaunavon, Eastend and Consul areas. Crop damage from hail storms a few weeks ago is evident in the Richmound area. High winds in the Glenbain area blew some canola, mustard and lentil swaths around and caused cereals to lodge.

Farmers are busy trying to harvest, hauling bales and preparing bins. Frost is a concern. Rain on desiccated/swathed pulses and cereals has farmers worried about crop quality. Drying weather is needed. Crops that have been taken off in the past week are tough. Grain aeration is proving difficult as nighttime humidity is high. Field access is an issue as roads are very soft. Grain trucks are being loaded on high ground or on the roads.

East-Central Saskatchewan (Crop Districts 5 and 6a)

The majority of the field work that took place last week consisted of swathing. The region has nine per cent of the 2010 crop in the bin. An additional 44 per cent is swathed or ready to straight-cut. Last year at this time, 21 per cent of the crop had been combined. Crop District 5A has seven per cent combined, CD 5B one per cent and CD 6A has 15 per cent combined. Barley, wheat and canola were being combined tough and put into aeration.

The region received significant amounts of rain again this week. All crop reporters recorded rain in amounts ranging from 13 to 63 mm. Most areas reported more than 30 mm for the week, with the majority of it falling on Thursday and Friday. CD 5A received between 13 mm and 27 mm of rain; CD 5B received between 13 mm and 50 mm and CD 6A received between 17 mm and 63 mm. Since April 1, the region has received between 339 mm and 838 mm of rain. The Churchbridge area received 13 mm, the Kelliher area 34 mm, the Jedburgh area 52 mm, the Lintlaw area 33 mm, the Rama area 50 mm, the Craven area 17 mm, the Bulyea area 28 mm and the Nokomis area 63 mm.

Due to rain, crop disease and the small amount of crop that has been combined, crop reporters are having a difficult time predicting yields. Yields are very variable, depending on where and when the heavy rains fell. Crop reporters are indicating the following average crop yields at this time: winter wheat 40 bu/ac, spring wheat 30 bu/ac, durum 34

bu/ac, oats 61 bu/ac, barley 49 bu/ac, fall rye 37 bu/ac, triticale 25 bu/ac, flax 20 bu/ac, canola 23 bu/ac, mustard 800 lb./ac, lentils 1,100 lb./ac, peas 28 bu/ac, canaryseed 900 lb./ac and chickpeas 1,000 lb./ac.

The rain is causing lodging, sprouting, bleaching and staining. Strong winds in some areas have caused crops to lodge. Crop disease is causing damage. The number of flooded acres continues to increase as the rain continues. Temperatures dipped to just below zero for a night in the Stockholm, Langenburg, Foam Lake, Rama, Wynyard, Earl Grey, Jansen and Leroy areas.

Farmers are busy trying to get the crop into the bin. There are reports of combines, swathers and grain carts getting stuck in fields. Most of the late-seeded crops are starting to mature. Crops that have been desiccated or received pre-harvest applications are taking a long time to dry down. Dual tires are being put on combines in some cases to help with the muddy field conditions. Foot rot in cattle is an issue. The last two weeks of rain has many producers wondering if they will be able to access fields at all this fall. Sunny and dry weather is needed.

West-Central Saskatchewan (Crop Districts 6B and 7)

Most farmers, if the weather allowed them into their fields, were swathing canola. Harvest progress remains unchanged from last week. Seven per cent of the crop is combined, and an additional 31 per cent is swathed or ready to straight-cut. Last year at this time, 25 per cent of the crop had been combined. Crop District 6B has just over eight per cent combined and CDs 7A and 7B have just over five per cent combined.

All areas received between 5 mm and 61 mm of rain for the week, with most areas receiving more than 10 mm. The Sonningdale area received 28 mm, the Langham area 61 mm, the Outlook area 57 mm, the Smiley and Luseland areas 6 mm, the Kindersley area 16 mm, the Harris area 25 mm, the Biggar area 17 mm and the Landis area 10 mm.

Due to rain, crop disease and the small amount of crop that has been combined, crop reporters are having difficulty predicting yields. Yields are very variable, depending on where and when the heavy rains fell. Crop reporters are indicating the following average yields at this time: winter wheat 42 bu/ac, spring wheat 36 bu/ac, durum 41 bu/ac, oats 72 bu/ac, barley 56 bu/ac, fall rye 40 bu/ac, triticale 42 bu/ac, flax 26 bu/ac, canola 30 bu/ac, mustard 1,100 lb./ac, lentils 1,100 lb./ac, peas 35 bu/ac and canaryseed 1,200 lb./ac. With all the rain, farmers are concerned about crop quality.

The majority of crop damage is due to rain which is causing disease, flooding and lodging. Wind is also causing lodging. The moisture received in the past few weeks has reduced crop quality. Pulses, particularly lentils, are showing high disease pressures. Temperatures dipped to just below zero for a night in the Luseland area.

Farmers are busy trying to harvest and haul bales. There were reports of some winter wheat being seeded. The heavy rain flooded some roads. Fields are quite soft and water

in the fields is causing harvest problems. The frost predicted for the end of the week is worrying farmers, as some crops are still quite green. There were reports of farmers swathing green cereal crops and canola to reduce the risk of frost damage. Geese and cranes are starting to visit crops. Many farmers are indicating that their crops are ready to be harvested, but that the rain has put a halt to harvest activity.

Northeastern Saskatchewan (Crop Districts 8 and 9AE)

Some farmers managed to get in a single day of combining. Farmers in the region have eight per cent of the 2010 crop combined. Some progress was made with swathing. Forty-seven per cent of the crop is swathed or ready to straight-combine. Last year at this time, 14 per cent of the crop had been combined. Crop District 8A has 11 per cent combined, and CDs 8B and 9AE have seven per cent combined.

It was another very wet week in the region. Between 42 mm and 75 mm of rain fell. The Star City area reported 49 mm, the Porcupine Plain area 70 mm, the Nipawin area 75 mm, the Humboldt area 55 mm, the Melfort area 57 mm, the Prince Albert area 56 mm and the Garrick area 42 mm. Most areas reported receiving more than 40 mm.

Due to rain, crop disease and the small amount of crop that has been combined, crop reporters are having a difficult time predicting yields. Yields are very variable depending on where and when the heavy rains fell. Crop reporters are indicating the following average crop yields at this time: winter wheat 40 bu/ac, spring wheat 31 bu/ac, durum 27 bu/ac, oats 74 bu/ac, barley 37 bu/ac, flax 17 bu/ac, canola 21 bu/ac, peas 22 bu/ac and canaryseed 850 lb./ac. Concerns about crop quality are growing as the rain continues.

Crop damage is due to rain, which caused flooding, disease and lodging. Wind is also causing lodging. Temperatures dipped below zero for a night in the Garrick area.

Farmers are busy swathing while waiting to get back to combining. Bales are being hauled very carefully over wet and soggy fields. Some of the crops have been combined tough, so aeration fans and grain dryers have started up. Fields are very wet in areas and equipment is getting stuck. The recent heavy rains have flooded more acres and some swaths are lying in water. The fall rye and winter wheat sown at the beginning of September is emerging. Some producers are able to get onto fields to do fall weed control.

Northwestern Saskatchewan (Crop Districts 9AW and 9B)

Some swathing occurred last week, but harvest progress remains unchanged from last week. Six per cent of the crop is combined and an additional 46 per cent is swathed or ready to straight-cut. Last year at this time, 17 per cent of the crop was off the field. Crop District 9AW has just over eight per cent of the crop combined and CD 9B has five per cent of the crop combined.

All areas received between 5 mm and 58 mm of rain for the week. Most areas received more than 20 mm. The Speers area received 24 mm, the Debden area 58 mm, the Neilburg area 5 mm, the Barthel area 28 mm, the Meadow Lake area 47 mm and the Glaslyn area 13 mm.

Due to rain, crop disease and the small amount of crop that has been combined, crop reporters are having a difficult time predicting yields. Yields are very variable, depending on where and when the heavy rains fell. Crop reporters are indicating the following average crop yields at this time: spring wheat 38 bu/ac, oats 75 bu/ac, barley 61 bu/ac, fall rye 32 bu/ac, triticale 25 bu/ac, flax 23 bu/ac, canola 32 bu/ac, mustard 1,000 lb./ac and peas 38 bu/ac. Concerns about crop quality are growing as the rain continues.

Rain is causing the majority of crop damage through flooding and disease. Wind is causing lodging. Temperatures dipped below zero for one night in the St. Walburg, Turtleford, Rapid View and Meadow Lake areas.

Warm and sunny weather is needed. Farmers are busy getting ready for harvest, combining and swathing between rain showers, and hauling bales. Crops are being cut for greenfeed and swath-grazing. Farmers are swathing some crops green to try to reduce damage from the predicted frost at the end of the week. Ergot in wheat is a problem in the North Battleford area.

Winter wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	6	4	13	77
SW	5	2	8	85
EC	6	7	30	57
WC	N/A	N/A	N/A	N/A
NE	0	3	0	97
NW	30	70	0	0

Spring wheat	% Standing	% in swath	% ready to straight combine	% combined
SE	54	8	27	11
SW*	72	7	16	5
EC	75	9	13	3
WC	79	12	7	2
NE	65	6	25	4
NW	74	8	14	4

Durum	% Standing	% in swath	% ready to straight combine	% combined
SE	67	11	18	4
SW	75	4	17	4
EC	81	13	5	1
WC	98	2	0	0
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Oats	% Standing	% in swath	% ready to straight combine	% combined
SE	62	16	11	11
SW*	65	8	12	15
EC**	97	2	0	1
WC^	88	8	1	3
NE	84	5	5	6
NW	83	12	0	5

Barley	% Standing	% in swath	% ready to straight combine	% combined
SE	48	14	14	24
SW	55	2	32	11
EC	71	9	13	7
WC	85	9	4	2
NE	58	12	16	14
NW	N/A	N/A	N/A	N/A

Lentils	% Standing	% in swath	% ready to straight combine	% combined
SE	26	16	14	44
SW	21	6	24	49
EC	32	3	42	23
WC	59	10	20	11
NE	N/A	N/A	N/A	N/A
NW	81	7	12	0

Peas	% Standing	% in swath	% ready to straight combine	% combined
SE	8	8	10	74
SW	10	0	12	78
EC	16	5	31	48
WC	27	8	31	34
NE	26	2	28	44
NW	17	2	29	52

Canaryseed	% Standing	% in swath	% ready to straight combine	% combined
SE	92	3	3	2
SW	86	0	0	14
EC	87	1	1	11
WC	98	1	0	1
NE	100	0	0	0
NW	N/A	N/A	N/A	N/A

Chickpeas	% Standing	% in swath	% ready to straight combine	% combined
SE	42	20	20	18
SW	91	0	1	8
EC	67	0	8	25
WC	99	0	0	1
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Canola	% Standing	% in swath	% ready to straight combine	% combined
SE	17	62	0	21
SW	30	40	3	27
EC	19	75	0	6
WC	25	69	0	6
NE	24	71	0	5
NW	15	83	0	2

Mustard	% Standing	% in swath	% ready to straight combine	% combined
SE	45	27	12	16
SW	39	13	13	35
EC	52	32	4	12
WC	71	25	3	1
NE	N/A	N/A	N/A	N/A
NW	N/A	N/A	N/A	N/A

Crop Districts and Rural Municipalities in Saskatchewan



Weekly Rainfall

for the week ending September 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 15, 2010

Weekly Rainfall

for the week ending September 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N W E S

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 15, 2010

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period to Sept 6 to 13, 2010

Crop Dist.	R.M. No.	Name	Week	Since 1-Apr
1A	1	Argyle	N/A	462.0
	2	Mount Pleasant	N/A	366
	3	Enniskillen	12	420
	33 A	Moose Creek	N/A	249
	33 B	Moose Creek	N/A	385
	34	Browning	30	437
	61	Antler	33	544
	63	Moose Mountain	18	463
	64	Brock	44	495
	65	Tecumseh	N/A	448
1B	91	Maryfield	15	437
	92	Walpole	N/A	367
	93	Wawken	15	509
	95	Golden West	17	459
	122	Martin	13	440
	123 A	Silverwood	9	362
	123 B	Silverwood	N/A	N/A
	124	Kingsley	18	390
	125	Chester	32.3	461
	151 A	Rocanville	20	525
	151 B	Rocanville	11	529
	153	Willowdale	17	522
	154	Elcapo	28	517
	155	Wolseley	35	715
2A	66	Griffin	41	586
	67	Weyburn	7	474
	68	Brokenshell	6	403
	69	Norton	11	455
	96	Fillmore	21	417
	97	Wellington	20	374
2B	127 A	Francis	17	433
	127 B	Francis	21	314
	129	Bratt's Lake	13	383
	156 A	Indian Head	38	555
	156 B	Indian Head	18	504
	157	South Qu'appelle	N/A	NIL
	160	Pense	30	408
	161	Moose Jaw	33	417
	191	Marquis	26	473
3ASE	38 A	Laurier	8	464
	38 B	Laurier	3	407
	39 A	The Gap	7	362
	39 B	The Gap	15	534
3ASW	10	Happy Valley	5	427
	11	Hart Butte	N/A	NIL
	12	Poplar Valley	20	326
	40	Bengough	9	406
	42	Willow Bunch	15	392
	43	Old Post	13	374
	44	Waverley	42	479
	70	Key West	21	392
	71 A	Excel	N/A	383
	71 B	Excel	19	345
	73 A	Stonehenge	39.6	383
	73 B	Stonehenge	N/A	438
	74	Wood River	38	422
3AN	101	Terrell	24	460
	102	Lake Johnston	34	370
	103	Sutton	36	403
	134	Shamrock	48	512
	164	Chaplin	32	429
	193	Eyebrow	41	435
	194	Enfield	40	474
3BS	17	Val Marie	30	417
	45	Mankota	55	388
	75 A	Pinto Creek	67	445
	75 B	Pinto Creek	N/A	352
	76 A	Auvergne	56	372
	76 B	Auvergne	50	357
	77	Wise Creek	24	326
	78 A	Grassy Creek	21	423
	78 B	Grassy Creek	14	400
	78 C	Grassy Creek	19	424
	105	Glenbain	71	415
	106	Whiska Creek	51	339
	107	Lac Pelletier	52	375
	108	Bone Creek	20	428
3BN	138	Webb	35	450
	165	Morse	N/A	NIL
	166	Excelsior	54	573
	167	Sask. Landing	30.6	498
	168	Riverside	29	502
	226	Victory	N/A	432
	228	Lacadena	12	480
	255	Coteau	N/A	NIL
	257	Monet	25	455

Crop Dist.	R.M. No.	Name	Week	Since 1-Apr
4A	49	White Valley	15	378
	49 A	White Valley	20	319
	51	Reno	10.1	384
	79	Arlington	17	446
	109	Carmichael	36	623
	110	Piapot	27	465
	111	Maple Creek	N/A	420
4B	139	Gull Lake	34	552
	141	Big Stick	21	467
	142	Enterprise	7	533
	169	Pittville	17	437
	171	Fox Valley	15	417
	229	Miry Creek	N/A	515
	231	Happyland	12	427
5A	181	Langenberg	13	449
	183	Fertile Belt	19	515
	185	Mcleod	36	534
	186	Abernethy	29	453
	211	Churchbridge	14	469
	213	Saltcoats	24	543
	216	Tullymet	N/A	417
	241	Calder	14	456
	243	Wallace	N/A	404
	245 A	Garry	52	573
	245 B	Garry	51	623
	246	Ituna Bon Accord	18	475
	247	Kelliross	34	579
	248	Touchwood	19	421
5B	271	Cote	13	455
	275	Insinger	N/A	NIL
	276	Foam Lake	43	723
	277	Emerald	31	715
	278	Kutawa	N/A	NIL
	305	Invermay	50	835
	307	Elfros	36	838
	308	Big Quill	33	569
	333	Clayton	N/A	510
	335	Hazel Dell	33	532
	336	Sasman	36	689
	337	Lakeview	N/A	533
	338	Lakeside	N/A	556
	366	Kelvington	46	501
6A	190 A	Dufferin	29	339
	190 B	Dufferin	35	440
	190 C	Dufferin	25	390
	190 D	Dufferin	N/A	340
	219 A	Longlaketon	25	462
	219 B	Longlaketon	17	530
	220	Mckillop	28	428
	221	Sarnia	30.2	481
	222	Craik	40	505
	251	Big Arm	51	508
	252	Arm River	42	420
	279	Mount Hope	N/A	491
	280	Wreford	63	495
	282	McCraney	55	504
	309	Prairie Rose	61	600
	313	Lost River	36	451
	339	Leroy	45.8	615
	340	Wolverine	52	610
	341	Viscount	N/A	519
	343	Blucher	33.5	561
6B	253	Willner	N/A	356
	283	Rosedale	35	553
	284	Rudy	57	560
	285	Fertile Valley	52	544
	286	Milden	38	555
	314	Dundurn	44	569
	344	Corman Park	61	565
	346	Perdue	N/A	594
	376 A	Eagle Creek	37	720
	376 B	Eagle Creek	28	551
7A	260	Newcombe	14	404
	260 B	Newcombe	16	332
	287	St. Andrews	8	401
	288	Pleasant Valley	N/A	408
	290 A	Kindersley	11	396
	290 B	Kindersley	N/A	390
	292	Milton	N/A	339
	317 A	Marriott	N/A	545
	317 B	Marriott	25	609
	318 A	Mountain View	11	532
	318 B	Mountain View	10	547
	320	Oakdale	16	379
	321	Prairiedale	6	395

Crop Dist.	R.M. No.	Name	Week	Since 1-Apr
7B	347 A	Biggar	17	453
	347 B	Biggar	N/A	458
	350 A	Mariposa	22	346
	350 B	Mariposa	10	404
	351	Progress	6	434
	352	Heart's Hill	8	474
	377	Glenside	30	553
	378 A	Rosemount	10	380
	378 B	Rosemount	16	476
	379	Reford	10	430
	380	Tramping Lake	N/A	372
	381	Grass Lake	N/A	516
	382	Eye Hill	15	391
	409	Buffalo	7	552
	410	Round Valley	5	457
	411	Senlac	N/A	435
8A	395	Porcupine	70	548
	397	Barrier Valley	51.8	575
	428	Star City	49	501
	456	Arborfield	51	462
	457	Connaught	55	645
	458	Willow Creek	50	532
	486	Moose Range	75	506
8B	369	St. Peter	55	586
	370	Humboldt	55	660
	371	Bayne	48	598
	372	Grant	38	562
	402	Fish Creek	43	497
	429 A	Flett's Springs	57	399
	429 B	Flett's Springs	42	529
	430	Invergordon	N/A	43
	459	Kinistino	45	515
9AE	461	Prince Albert	56.4	539
	488	Torch River	42	505
	520	Paddockwood	N/A	67
9AW	406	Mayfield	31	408
	435	Redberry	N/A	499
	436	Douglas	24	311
	463	Duck Lake	N/A	451
	464	Leask	20	522
	467	Round Hill	N/A	NIL
	494	Canwood	58	558
	496	Spiritwood	N/A	576
	497	Medstead	N/A	411
9B	438	Battle River	17	444
	440	Hillsdale	4.5	376
	442	Manitou Lake	9.7	362
	498 A	Parkdale	13	414
	498 B	Parkdale	N/A	319
	499	Mervin	14	348
	501 A	Frenchman Butte	23	398
	501 B	Frenchman Butte	8	335
	501 C	Frenchman Butte	N/A	453
	502	Britannia	16	476
	561	Loon Lake	28	414
	588 A	Meadow Lake	47	508
	588 B	Meadow Lake	40	467
	588 C	Meadow Lake	34	483
	588 D	Meadow Lake	20.3	465
	622	Beaver River	N/A	358

Municipality No: A, B, C, and D - more than one reporter

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Cumulative Rainfall

From: April 1, 2010
To: September 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

N W E S

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 15, 2010

Cumulative Rainfall

From: April 1, 2010
To: September 13, 2010



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Saskatchewan Ministry of Agriculture

© 2010 Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
Spline interpolation (tension = 50)

Prepared by: Geomatics Services Date: September 15, 2010